

INDEX MAPS.

T. 7 N., R. 2 E. 2nd Mer.

	261		260		260		259		259		259	
263	6	281	5	277	4	273	3	270	2	266	1	258
	281		280		276		273		269		266	
262	7	280	8	276	9	273	10	269	11	266	12	258
	281		279		276		273		269		265	
262	18	279	17	275	16	272	15	268	14	265	13	258
	281		279		275		271		268		265	
262	19	279	20	275	21	271	22	268	23	264	24	257
	282		278		274		271		267		264	
261	30	278	29	274	28	271	27	267	26	264	25	257
	282		277		274		270		267		263	
261	31	277	32	274	33	270	34	266	35	263	36	
	256		256		256		255		255		255	

T. 8 N., R. 2 E. 2nd Mer.

	289		290-291		291		290		290		290	
293	6	312	5	309	4	305	3	301	2	297	1	289
	313		312		308		304		301		297	
293	7	312	8	308	9	304	10	300	11	297	12	288
	313		311		308		304		300		296	
292	18	311	17	307	16	303	15	300	14	296	13	288
	313		311		307		303		299		295	
292	19	310	20	307	21	303	22	299	23	295	24	287
	313		310		306		302		299		295	
292	30	310	29	306	28	302	27	298	26	294	25	287
	314		309		306		302		298		294	
291	31	309	32	305	33	302	34	298	35	294	36	287
	286		286		286		285		285		285	

[] The figures on the lines refer to the page.

South Boundary

Nest On S. boundary of Sec. 36, T8N, R2E.

12.00 a W. Oak 20 in. dia.

40.00 Set the q. Sec. post, from which
a B. Oak 10 in. dia. bear N 20 W 8 lks. dist. of
a Ho 7 " " " S 12 E 16 " "

53.50 a Brook 15 lks. wide C. S. M.

59.50 a Beech 14 in. dia. bear

80.00 Set a post cor. to Sec. 35 & 36, T8N, R2E from which
a W. Oak 20 in. dia. bear S 34 E 16 lks. dist. of
a Beech 8 " " " S 40 E 27 " "

Land poor & hilly, timber Oak, Beech &c

Nest On S. boundary of Sec. 35, T8N, R2E.

20.00 a Creek 10 lks. wide C. S. M.

40.00 Set the q. Sec. post, from which
a Hickory 15 in. dia. bear N 31 W 20 lks. dist. of
a Poplar 36 " " " S 20 E 30 " "

53.00 a Brook 15 lks. wide C. S. M.

62.50 a W. Oak 10 in. dia.

80.00 Set a post cor. to Sec. 34 & 35, T8N, R2E, from which
a B. Oak 24 in. dia. bear S 60 E 15 lks. dist. of
a Beech 8 " " " S 44 W 14 " "

Land timber &c. Same as on the last mile

Nest On S. boundary of Sec. 34, T8N, R2E

March 29th 1811.

8.00 a W. Oak 10 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bear N 25 W 31 lks. dist. of
a Maple 14 " " " S 34 E 50 " "

69.00 a Butternut 16 " " in the line

70.00 a Brook 30 lks. wide C. S. M.

T8 N. R2 E, 2. Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, T8 N. R2 E, from which
 a Sugar 16 in. dia. beam N45 W 5 lbs. dist. of
 a Gum 15 " " " N45 W 25 " "
 Sand, timber &c. Same as on the last mile

Nest On S. boundary of Sec. 33, T8 N. R2 E.

10.00 a Hickory 16 in. dia.

37.50 a Brook 25 lbs. wide C. S. W.

40.00 Set the q. Sec. post, from which
 a Sugar 14 in. dia. beam N21 W 14 lbs. dist. of
 a B. Oak 10 " " " N30 W 10 " "

79.50 a Beech 18 " "

80.00 Set a post Cor. to Sec. 32 & 33, T8 N. R2 E, from which
 a Sugar 10 in. dia. beam N43 E 27 lbs. dist. of
 a Beech 11 " " " N27 E 29 " "
 Sand of middling quality, beech, sugar, Poplar &c.

Nest On S. boundary of Sec. 32, T8 N. R2 E.

19.00 a B. Oak 30 in. dia. in the line

32.00 a Creek 150 lbs. wide C. S. W.

40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. beam N33 E 34 lbs. dist. of
 a do 14 " " " N55 W 41 " "

55.00 a Creek 150 lbs. wide C. S. E.

80.00 Set a post Cor. to Sec. 31 & 32, T8 N. R2 E, from which
 a Maple 16 in. dia. beam N58 E 17 lbs. dist. of
 a Waterbeech 4 " " " North 7 " "
 Sand timber &c. Same as on the last mile

Nest On S. boundary of Sec. 31, T8 N. R2 E.

5.00 a W. Oak 6 in. dia. in the line

40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. beam N74 E 21 lbs. dist. of

T8 N. R2 E 2^d. Mer. Indiana

a Beech 13 in. dia. brang N 31 W 20 lks. dist. of
60.00 to the Cor. to Town 7 of 8 N. Range 1 of 2 E.
Set a post from which
a W. Oak 15 in. dia. brang N 35 E 22 lks. dist. of
a Hickory 11 " " " 172 W 28 " "
Poor hilly Oak land &c.

East Boundary

North On E. boundary of Sec. 36, T8 N. R2 E.
1.50 a Brook 12 lks. wide E. W.
30.25 a Hickory 16 in. dia. brang in the line
40.00 Set the q. Sec. post, from which
a Beech 11 in. dia. brang N 15 E 6 lks. dist. of
a W. Oak 36 " " " N 57 W 23 " "
48.00 a Creek 150 lks. wide E. W. Mat
80.00 Set a post Cor. to Sec. 25 of 36, from which
a Beech 12 in. dia. brang N 18 W 10 lks. dist. of
a Maple 4 " " " N 68 E 11 " "
Land low & wet. Beech, 1 Beech, Maple &c.

North On E. boundary of Sec. 25, T8 N. R2 E.
6.00 a B. Oak 18 in. dia. in the line
26.50 a Spring run 5 lks. wide E. W. E.
40.00 Set the q. Sec. post, from which
a B. Oak 24 in. dia. brang N 58 W 25 lks. dist. of
a W. Oak 12 " " " N 65 E 21 " "
75.25 a Hickory 12 " "
80.00 Set a post, Cor. to Sec. 24 of 25, from which
a B. Oak 24 in. dia. brang N 45 W 12 lks. dist. of
a Hickory 10 " " " N 50 E 6 " "
Hilly, W. Oak land as above.

North On E. boundary of Sec. 24, T8 N. R2 E.

T8 N. R2 E, 2^d. Mer. Indiana

- 40.00 Set the g. Sec. post, from which
 a W. Oak 10 in. dia. bray S25 E 28 lks. dist. of
 a Poplar 12 " " " N59 W26 " "
- 57.00 a W. Oak 16 " "
- 63.00 Intersected the boundary line, set post from which
 a Gum 6 in. dia. bray N50 W29 lks. dist. of
 a P. Oak 13 " " " N42 E 50 " "
- Poor hilly land &c. Surveyed by A. Holmes LL.S.
 (Continued By James Hedger, LL.S. 1819)
 Dec. 17th 1819, variation 6° 48' East.
- 80.00 (17.00) Set a post Cor. to Sec. 13 & 24, from which
 a W. Oak 12 in. dia. bray N11 E 23 lks. dist. of
 a Gum 5 " " " N38 W50 " "

North On E. boundary of Sec. 13, T8 N. R2 E.

- 14.50 a Chest. Oak 24 in. dia. in the line
- 40.00 Set the g. Sec. post, from which
 a Gum 10 in. dia. bray N30 E 20 lks. dist. of
 a P. Oak 24 " " " S2 W 60 " "
- 51.07 a P. Oak 24 " " in the line
- 54.75 a Brook 10 lks. wide Cr. S80 E.
- 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Chest. Oak 24 in. dia. bray N63 W11 lks. dist. of
 a Do 30 " " " N12 E 23 " "
- Land hilly & poor, timber W. of chest. Oak, and g.
 W. Oak, Hickory & Sassafras.

North On E. boundary of Sec. 12, T8 N. R2 E.

- 10.50 a Brook 10 lks. wide Cr. S. E.
- 40.00 Set the g. Sec. post, from which
 a Poplar 12 in. dia. bray N85 E 90 lks. dist. of
 a Chest. Oak 16 " " " N69 W " "
- 68.20 a Chestnut Oak 10 in. dia. in the line

T8N R2E, 2^d, Mer. Indiana

80.00 Let a post Cor. to Sec. 1 & 12, from which
 a R. Oak 14 in. dia. bear S 25 W 37 lks. dist. of
 a Chest. Oak 16 " " " N 57 E 27 " "
 Land very hilly & poor, timber W of Chest. Oak
 underg. W. Oak & Hickory & Sassafras.

North On E. boundary of Sec. 1, T8N, R2E.

26.33 a R. Oak 30 in. dia. in the line
 28.00 a Brook 10 lks. wide Cr. N 80 W.
 40.00 Let the q. Sec. post, from which
 a W. Oak 16 in. dia. bear S 38 W 12 lks. dist. of
 a Do 20 " " " N 76 E 11 " "
 55.00 a Brook 12 lks. wide Cr. N 60 W
 58.53 a W. Oak 12 in. dia. in the line
 82.50 a Brook 12 lks. wide Cr. N 80 W.
 94.25 Intersected town line 18.35 ch. E. of post Cor.
 to Sec. 36 in. Town 9 N. R2E. and Sec. 31
 T9 N. R3E, Let a post, from which
 a R. Oak 5 in. dia. bear N 14 E 25 lks. dist. of
 a W. Oak 3 " " " S 23 W 15 " "
 Land hilly & poor, timber W of Chest. Oak & Hickory
 underg. W. Oak, Hickory & Sassafras.
 Surveyed by J. L. Hedges, Dep. Sur.

North Boundary

East On S. boundary of Sec. 31, T9 N. R2E.

13.00 a Brook 10 lks. wide Cr. E.
 40.00 Let the q. Sec. post, from which
 a Beech 26 in. dia. bear S 10 E 12 lks. dist. of
 a Sugar 16 " " " N 40 E 40 " "
 45.00 a Creek 200 lks. wide Cr. S.
 80.00 Let a post Cor. to Sec. 31 & 32, T9 N. R2E, from which
 a W. Oak 10 in. dia. bear S 60 E 3 lks. dist. of

T8 N. 1 R 2 E, 2^d. Mer. Indiana

a Beech 14 in. dia. bray N 80 W 25 lks. dist. of
Poor hilly Oak land, &c.

East On S. boundary of Sec. 32, T9 N. 1 R 2 E.

7.25 to Sugar 13 in. dia. on the boundary line, from which
a Sugar 14 in. dia. bray N 54 W 14 lks. dist. of
a Beech 11 " " " S 35 W 15 " "

Land &c. as above, Surveyed by A. Holmes, U.S.

West On S. boundary of Sec. 36, T9 N. 1 R 2 E.

40.00 At the q. Sec. post, from which
a Gum 8 in. dia. bray N 12 W 9 lks. dist. of
a Do 7 " " " S 29 E — " "

73.40 a Branch 8 lks. wide Cr. South

80.00 At a post Cor. to Sec. 35 & 36, T9 N. 1 R 2 E, from which
a W. Oak 20 in. dia. bray S 38 E — lks. dist. of
a Hickory 9 " " " S 38 E 32 " "

Broken brushy, stony hills, timber Oak, Hickory &c.

West On S. boundary of Sec. 35, T9 N. 1 R 2 E.

14.40 a Branch 8 lks. wide Cr. S.W.

40.00 At the q. Sec. post, from which
a B. Oak 14 in. dia. bray N 62 W 16 lks. dist. of
a Chest. Oak 20 " " " S 82 E 24 " "

79.10 a Spring branch 6 lks. wide Cr. S.W.

80.00 At a post Cor. to Sec. 34 & 35, T9 N. 1 R 2 E, from which
a Gum 18 in. dia. bray N 39 W 26 lks. dist. of
a W. Oak 15 " " " S 36 E 35 " "

Land timber &c. same as on the last mile

West On S. boundary of Sec. 34, T9 N. 1 R 2 E.

30.50 a Branch 10 lks. wide Cr. S.W.

40.00 At the q. Sec. post from which

T8 N. R2 E, 2^d. Mer. Indiana

a W. Oak 15 in. dia. brang N43°W 3 lks. dist. of
 a Red Oak 27 " " " S39½°E 35 " "
 80.00 Set a post cor. to Secs. 33 & 34, from which
 a Hickory 12 in. dia. brang N38°W 2 lks. dist. of
 a W. Oak 10 " " " S18°E 26 " "
 Broken land, timber as above

West On South boundary of Sec. 33, T9 N. R2 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 24 in. dia. brang S59°W 13 lks. dist. of
 a Sugar 10 " " " S46°E 22 " "
 80.00 Set a post Cor. to Secs. 32 & 33, T9 N. R2 E, from which
 a — 7 in. dia. brang N63°W 1 lks. dist. of
 a Do 8 " " " S64½°E 2 " "
 Broken land, timber, Beech, Oak & Judg^t. Hogn^w?

West On S. boundary of Sec. 32, T9 N. R2 E.
 26.52 Intersected the boundary line at the corner
 June 3^d. 1819
 Surveyed by John M. McDonald, D. S.

West Boundary
 North On E. boundary of Sec. 36, T8 N. R1 E.
 3.00 a Brook 15 lks. wide Cr. W.
 40.00 Set the q. post, from which
 a Beech 10 in. dia. brang S19°W 33 lks. dist. of
 a Do 4 " " " N1°E 9 " "
 43.50 Old q. Sec. Corner
 53.50 a Brook 08 lks. wide Cr. S. E.
 55.50 a Hickory 18 in. dia. in the line
 80.00 Set a post Cor. to Secs. 35 & 36, T8 N. R1 E, from which
 a Sugar 8 in. dia. brang N87°W 14 lks. dist. of
 a Do 8 " " " S9°W 20 " "

T8 N. R2 E. T. Mer. Indiana

Poor hilly land, timber Oak, Beech & Hickory

North On E. boundary of Sec. 25, T8 N. R2 E.

5.00 a Brook 15th wide C. S. E.

6.00 to Old Sec. Corner.

29.00 a W. Oak 16 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Gum 20 in. diam. bear N 30 E 7th dist. of

a do 20 " " " S 30 E 31 " "

46.81 to Old q. Sec. Cor.

66.50 a W. Oak 17 in. diam. in the line.

80.00 Set a post Cor. to Sec. 24 & 25, T8 N. R2 E. from which

a Beech 10 in. diam. bear N 44 E 11th dist. of

a Hickory 15 " " " S 25 W 17 " "

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 24, T8 N. R2 E.

7.54 to the Old Sec. Corner

40.00 Set the q. Sec. post, from which

a Beech 20 in. diam. bear S 15 W 21th dist. of

a do 14 " " " N 18 E 30 " "

43.48 a Brook 10th wide C. S. E.

48.48 to old q. Sec. Corner

52.48 a Brook 12th wide C. S. E.

60.98 a do 15 " " " S. E.

80.00 Set a post Cor. to Sec. 13 & 24, T8 N. R2 E. from which

a W. Oak 8 in. diam. bear S 34 W 16th dist. of

a do 24 " " " S 80 E 17 " "

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 13, T8 N. R2 E.

10.35 a P. Oak 16 in. diam. in the line

14.41 to Old Sec. Corner.

T8 N R2 E, T. Mer. Indiana

- 36.91 a P. Oak 12 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 an Oak 20 in. dia. bear N 86 W 3 1/2 k. dist. of
 a P. Oak 7 " " " S 76 E 12 " "
 55.19 to the Old q. Sec. Cor.
 80.00 Set a post Cor. to Sec. 12 of 13, T8 N. R1 E, from which
 a Beech 5 in. dia. bear N 16 E 9 1/2 k. dist. of
 a P. Ash 4 " " " S 62 W 14 " "
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 12, T8 N. R1 E.
 10.24 a Brook 12 in. wide Cr. S. E.
 15.24 to the Old Sec. Corner
 40.00 Set the q. Sec. Corner from which
 a Beech 20 in. dia. bear S 47 W 5 1/2 k. dist. of
 a Hickory 18 " " " S 59 E 15 " "
 47.24 a Do 30 " "
 56.72 to the Old q. Sec. Corner
 80.00 Set a post Cor. to Sec. 1 of 12, T8 N. R1 E.
 " " in a Creek 100 k. wide Cr. Dist. from which
 a Maple 30 in. dia. bear North 119 k. dist.
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 1, T8 N. R1 E.
 18.50 to the Old Sec. Corner
 40.00 Set the q. Sec. post, from which
 a Dogwood 7 in. dia. bear S 26 E 5 1/2 k. dist. of
 a P. Oak 5 " " " N 78 E 31 " "
 97.30 to Cor. of Town 8 of 9 N. Range 1 of 2 E. Set post from
 which a W. Oak 14 in. dia. bear N 67 E 20 k. dist. of
 a Gum 12 " " " S 51 W 50 " "
 Sand timber &c. Same as on the last mile
 March 30th 1871, Surveyed by Alex. A. Holmes, U.S.

T8 N. R2 E. 2nd Mer. Indiana

60.50 a Brook 35 lks. wide Cr. S. E.

63.50 a dlo 35 " " " S 47.

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
an Elm 15 in. dia. bear S 81 W 26 lks. dist. of
a dlo 6 " " " N 21 W 40 " "
Land timber &c. same as on the last mile

East Out Random between Sec. 24 & 25, T8 N. R2 E.

5.00 a Brook 20 lks. wide Cr. South

40.00 Set temp. q. Sec. post

79.96 Intersected the E. boundary 66 lks. N. of Corner.
Land timber &c. same as on the last mile

West On true line between Sec. 24 & 25, T8 N. R2 E.

39.98 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bear S 87 W 10 lks. dist. of
a dlo 5 " " " N 21 W 26 " "

79.96 to Section Corner.

North Between Sec. 23 & 24, T8 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 8 in. dia. bear N 32 E 11 lks. dist. of

a Gum 8 " " " S 73 W 5 " "

50.00 a Brook 15 lks. wide Cr. S. E.

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
a W. Oak 6 in. dia. bear S 50 E 14 lks. dist. of
a B. Oak 6 " " " N 49 E 4 " "

Land hilly, high hills, thin soil undg. Hazel & oak

East Between Sec. 13 & 24, T8 N. R2 E

40.00 Set the q. Sec. post, from which

a Ches. Oak 10 in. dia. bear S 65 E 15 lks. dist. of

a dlo 12 " " " N 43 W 5 " "

T8 N. R2 E. 2nd Mer. Indiana

57.00 Set a post on the boundary, from which
 a Gum 7 in. dia. bear S37°W 25 lks. dist. of
 a Do 4 " " " N75°W 30 " "
 Land the same (Continued by S. S. Hedges, U.S.)
 March 11th 1820

79.00 (22.00) Intersected the E. boundary 69 lks. S.
 of the Corner, set a post Cor. to Sec. 13 & 24 from which
 a W. Oak 15 in. dia. bear S31°W 11 lks. dist. of
 a Do 14 " " " N52°E 31 " "

North Between Sec. 13 & 14, T8 N. R2 E

8.00 a Brook 15 lks. wide Cr. S. E.

40.00 Set the q. Sec. post, from which
 a P. Oak 8 in. dia. bear S57°E 6 lks. dist. of
 a Do 10 " " " S73°W 17 " "

40.19 Set a post on the boundary, from which
 a P. Oak 12 in. dia. bear S61°E 18 lks. dist. of
 a Do 8 " " " S114°E 21 " "

79.37 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a P. Oak 9 in. dia. bear N39°E 14 lks. dist. of
 a W. Oak 6 " " " S7°E 34 " "
 Land hilly & poor, timber W. of Chest. Oak & Hickory

East On Random between Sec. 12 & 13, T8 N. R2 E.

40.00 Set temp. q. Sec. post

77.80 Intersected the E. boundary at the Corner.
 Land hilly & poor, timber scattering W. of Chest.
 Oak, undergth W. Oak, Hickory & Sassafras

West On true line between Sec. 12 & 13, T8 N. R2 E.

38.90 Set q. Sec. post at av. J. dist. on true line, from which
 a Gum 14 in. dia. bear S83°E 21 lks. dist. of
 an Elm 14 " " " S89°W 88 " "

T.S.N. R2E. 2nd Mer. Indiana

77.80 to Section Corner

North Between Sec. 11 & 12, T8N. R2E.

32.50 a W. Oak 14 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 22 in. dia. bear S40 E 48 lks. dist. of

a Do 14 " " " N49 W 39 " "

52.00 a Brook 8 lks. wide C. S 80 E.

66.00 a Hickory 10 in. dia.

80.00 Set a post Cor. to Sec. 1, 2 & 11, 12, from which

a W. Oak 5 in. dia. bear S79 W 33 lks. dist. of

a Do 4 " " " N16 E 20 " "

Land hilly & poor, timber scattering W, R & C.

Oak & Hickory, undg. W. Oak, hickory & Sassafras.

East On Random betw. Sec. 1 & 12, T8N. R2E.

40.00 Set temp. q. Sec. post

78.50 Intersected the E. boundary 40 lks. N. of Corner

Land hilly and poor, timber same as last mile

West On true line between Sec. 1 & 12, T8N. R2E.

39.25 Set q. Sec. post at av. g. dist. from which

a W. Oak 10 in. dia. bear S55 E 63 lks. dist. of

a Sugar 8 " " " S84 W 30 " "

78.50 to Sec. Corner March 12th. 1820

North Between Sec. 1 & 2, T8N. R2E.

8.00 a W. Oak 11 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 16 in. dia. bear S45 W 45 lks. dist. of

a Maple 10 " " " N60 E 40 " "

54.50 a Brook 12 lks. wide C. S 85 W

58.50 a W. Oak 30 in. dia. in the line

2981

T8 N. R2 E. T. 3rd Mer. Indiana

93.50 Intersected the N. boundary 28 chains West
of Corner to Sec. 35 & 36, T9 N. R2 E. Set a
post Cor. to Sec. 1 & 2, from which
a W. Oak 15 in. dia. bran S30°W 22 lbs. dist. &
a B. Oak 18 " " " N36°E 24 " "
Land timber &c. Same as on the last mile

North Between Sec. 34 & 35, T8 N. R2 E.

40.00 Set the q. Sec. post, from which
a W. Oak 10 in. dia. bran S20°E 25 lbs. dist. &
a do 12 " " " N2°W 62 " "

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 12 in. dia. bran S70°W 47 lbs. dist. &
a do 12 " " " N86°E 62 " "
Land hilly thin Soil, timber Oak & Hickory

East On Random between Sec. 26 & 35, T8 N. R2 E

40.00 Set temp. q. Sec. post

80.70 Intersected the N & S. line 20 lbs. N. of Corner.
Land timber &c. Same as on the last mile

West On true line between Sec. 26 & 35, T8 N. R2 E.

40.35 Set q. Sec. post at a q. dist. from which
a W. Oak 12 in. dia. bran N1°E 14 lbs. dist. &
a B. Oak 2 " " " N65°W 31 " "

80.70 to Sec. Corner

North Between Sec. 26 & 27, T8 N. R2 E.

40.00 Set the q. Sec. post, from which
a B. Oak 20 in. dia. bran N64°E 16 lbs. dist. &
a do 12 " " " S47°E 23 " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 20 in. dia. bran South 17 lbs. dist.

T8.N. R2E. 2^d. Mer. Indiana

Sand timber &c. same as on the last mile

East. On Random between Sect. 23 & 26, T8.N. R2E.

40.00 Set temp. q. Sec. post

80.50 Intersected the N & S. line 150 yds. S. of Corner

Sand timber &c. same as on the last mile

West On true line between Sect. 23 & 26, T8.N. R2E.

40.25 Set q. Sec. post, from which

a Lym 18 in. dia. beam N 28° 27' E 16 yds. dist. &

a Sugar 10 " " " N 74° E 14 " "

80.50 to Sec. Cor.

North Between Sect. 22 & 23, T8.N. R2E.

40.00 Set the q. Sec. post, from which

a Gum 18 in. dia. beam N 41° E 19 yds. dist. &

a B. Oak 12 " " " N 7° E 31 " "

80.00 Set a post Cor. to Sect. 14, 15, 22 & 23, from which

a Beech 20 in. dia. beam N 80° W 34 yds. dist. &

a W. Oak 14 " " " South 30 " "

Sand timber &c. same very Mountainous & bushy

East. On Random between Sect. 14 & 23, T8.N. R2E.

25.00 a Brook 10 yds. wide Cr. S.E.

40.00 Set temp. q. Sec. post

71.50 a Brook 20 yds. wide Cr. S.E.

80.44 Intersected the N & S. line 30 yds. N. of Corner.

Sand timber &c. same as on the last mile

West. On true line between Sect. 14 & 23, T8.N. R2E.

40.22 Set q. Sec. post at average dist. from which

a B. Oak 10 in. dia. beam N 76° E 33 yds. dist. &

a Ho 8 " " " N 73° W 38 " "

T8 N. R2 E. D. Mer. Indiana

80.44 to Sec. Corner.

North Between Secs. 14 & 15, T8 N. R2 E.

40.00 Set the q. Sec. post (bearings omitted)

80.00 Set a post Cor to Secs. 10, 11, 14 & 15, from which
a Gum 12 in. dia. - bear S 40° 25' E 13 " "

a Dogwood 5 " " " S 34° E 13 " "

Land very ^{high} hilly, timber Oak, Hickory & Poplar
and very brushy.

East Between Secs. 13 & 14, T8 N. R2 E.

31.00 to the boundary line

40.00 Set temp. q. Sec. post

79.00 Intersected the N & S line 63 lks. South of
temp. - Set post at point of intersection
Land hilly & poor, timber scattering W &
E. Oak, undug W. Oak, Hickory & Sassafras.

West On true line between Secs. 13 & 14, T8 N. R2 E.

39.50 Set q. Sec. post at ar. dist. from which
a B. Oak 6 in. dia. - bear North 18 lks. dist. of
a do 5 " " " S 77° W 20 " "

79.00 to Sec. Corner.

North Between Secs. 10 & 11, T8 N. R2 E.

23.50 Set a post on the boundary, from which
a B. Oak 30 in. dia. - bear S 38° E 8 lks. dist. of
a Dogw. 6 " " " S 30° W 12 " "40.00 Set the q. Sec. post, from which
a Hickory 5 in. dia. - bear S 72° E 17 lks. dist. of
a W. Oak 15 " " " S 72° W 47 " "

50.00 a Brook 10 lks. wide C. S. N 10 W

53.35 a Beech 12 in. dia. in the line

T8 N R2 E. 2nd Mer. Indiana

- 79.00 a Brook 8 lks. wide Cr. N10 W.
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Gum 14 in. dia. bran N45 W 15 lks. dist. of
 a Poplar 26 " " " N13 E 61 " "
 Land hilly & poor, timber W. Oak, Chst. Oak
 Hickory & Gum, undug. W. Oak, Ironw. Sassa. &c.
-

- East. Between Sec. 2 & 11, on Random
 37.00 a Brook 12 lks. wide Cr. N60 W
 40.00 Set temp. of Sec. post
 78.50 Intersected the N & S. line 73 lks. S. of Corner
 Land timber &c. same as on the last mile
-

- West On true line between Sec. 2 & 11, T8 N R2 E.
 39.25 Set of Sec. post at av. dist. from which
 an Elm 12 in. dia. bran S67 E 19 lks. dist. of
 a Sugar 16 " " " N82 W 30 " "
 78.50 to Sec. Corner.
-

- North Between Sec. 2 & 3, T8 N R2 E.
 20.60 a Sugar 8 in. dia. in the line
 31.00 a Brook 15 lks. wide Cr. N50 W.
 40.00 Set the of Sec. post, from which
 a W. Oak 12 in. dia. bran N24 E 22 lks. dist. of
 a Do 26 " " " N13 E 39 " "
 56.50 a Brook 30 lks. wide Cr. W.
 57.60 a W. Oak 9 in. dia. in the line
 75.00 a Brook 6 lks. wide Cr. N10 W.
 97.00 Intersected the N. boundary 27 chains West
 of Cor. to Sec. 34 & 35, T9 N R2 E, Set a post
 Cor. to Sec. 2 & 3, from which
 a W. Oak 13 in. dia. bran N71 E 10 lks. dist. of
 a Do 13 " " " N40 W 34 " "

T8 N. R2 E. 2^d. Mer. Indiana

Land hilly & poor, timber W. Oak & Hickory
undergrowth. Hornwood & Sassafras

North Between Secs. 33 & 34, T8 N. R2 E.

40.00 Set the q. Sec. post, from which

a Dogwood 3 in. diam. bear N59 W 10 lks. dist. &
an Hornwood 5 " " " S44 E 18 " "

80.00 Set a post cor. to Secs. 27, 28, 33 & 34, from which

a W. Oak 15 in. diam. bear S70 E 9 lks. dist. &
a Ho 10 " " " N25 E 16 " "

Land hilly and bushy

East On Random between Secs. 27 & 34, T8 N. R2 E

40.00 Set the temp. q. Sec. post

80.00 Intersected the N & S. line 10 lks. N. of corner

Land timber &c. same as on the last mile

West On true line between Secs. 27 & 34, T8 N. R2 E.

40.00 Set the q. Sec. post at av. l. dist. from which

a W. Oak 8 in. diam. bear N36 W 4 lks. dist. &
a W. Oak 5 " " " S52 E 18 " "

80.00 to Sec. corner

North Between Secs. 27 & 28, T8 N. R2 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Maple 6 in. diam. bear N21 E 17 lks. dist. &
a Beech 12 " " " S88 W 30 " "

80.00 Set a post cor. to Secs. 21, 22, 27 & 28, from which

an Hornwood 5 in. diam. bear S85 W 11 lks. dist. &
a Sugar 15 " " " N1 E 28 " "

Land timber &c. same as on the last mile

East On Random between Secs. 22 & 27, T8 N. R2 E.

T8 N R2 E. 2^d Mer. Indiana40.00 Let temp^y. q^r. Sec. post.80.00 Intersected the N & S. line 12 lks. S. of the corner
Land timber &c. same as on the last mileWest On true line between Sec^s. 22 & 27, T8 N. R2 E.40.00 Let q^r. Sec. post at ar^y. dist. from which
a Hickory 8 in. dia. bray N80 E 42 lks. dist. of
a Do 8 " " " S80 W 28 " "

80.00 to Sec. Corner.

North Between Sec^s. 21 & 22, T8 N. R2 E. 2^d Mer.40.00 Let the q^r. Sec. post, from which
a W. Oak 8 in. dia. bray S27 W 5 lks. dist. of
a Beech 8 " " " N59 W 5 " "80.00 Let a post Corner, to Sec^s. 15, 16, 21 & 22, from which
a Sugar 10 in. dia. bray N43 E 12 lks. dist. of
a Poplar 30 " " " S5 E 11 " "
Land timber &c. same as on the last mileEast On Random between Sec^s. 15 & 22, T8 N. R2 E.40.00 Let temp^y. q^r. Sec. post80.00 Intersected the N & S line 8 lks. N. of the corner
Land timber &c. same as on the last mileWest On true line between Sec^s. 15 & 22, T8 N. R2 E.40.00 Let q^r. Sec. post at ar^y. dist. from which
a P. Oak 20 in. dia. bray S29 W 16 lks. dist. of
a W. Oak 10 " " " S79 W 19 " "

80.00 to Sec. Corner

North Between Sec^s. 15 & 16, T8 N. R2 E.

29.50 a Poplar 20 in. dia. bray

40.00 Let the q^r. Sec. post, from which

T8 N. R2 E. 2^d. Mer. Indiana

a B. Walnut 10 in. dia. bran S31^W 24 lks. dist. of
 a Lycamore 30 " " " N31 E 20 " "
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a B. Oak 12 in. dia. bran N4 E 25 lks. dist. of
 a Do 16 " " " S73^W 13 " "
 Land very hilly with high hills thin Soil Cov-
 ered with Green-brier & brush.

East On Random between Sec. 10 & 15, T8 N. R2 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S. line 18 lks. N. of the corner
 Land timber &c. same as on the last mile

West On true line between Sec. 10 & 15, T8 N. R2 E.
 40.00 Set q. Sec. post at ar. dist. from which
 a Bk. Oak 8 in. dia. bran S28 E 12 lks. dist. of
 a W. Oak 7 " " " N18 E 10 " "
 80.00 to Sec. Corner.

North Between Sec. 9 & 10, T8 N. R2 E.
 40.00 Set the q. Sec. post from which
 a Beech 7 in. dia. bran S16 E 6 lks. dist. of
 a B. Oak 8 " " " N32 E 24 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Lym 8 in. dia. bran S49 E 23 lks. dist. of
 a B. Oak — " " " N64 E 10 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 3 & 10, T8 N. R2 E.
 4.27 Set a post on the boundary, from which
 a W. Oak 8 in. dia. bran N80^W 9 lks. dist. of
 a B. Oak 12 " " " S46^W 12 " "
 27.50 a Brook 6 lks. wide C. N^W

T8 N. R2 E. 2^d. Mer. Indiana

40.00 Set temp. q. Sec. post

61.50 a Brook 12 lks. wide Cr. N.E.

76.50 a Do 8 lks. " " N10W

77.50 Intersected the N & S. line 150 lks. S. of Corner
Land hilly & poor, timber W, 1/2 of Chest. Oak
Hickory, underg. th Hickory & Ironwood.

West On true line between Sec. 3 & 10, T8 N. R2 E.

38.75 Set q. Sec. post at average dist. from which
a Chestnut Oak 8 in. dia. bear N73W 25 lks. dist. of
a Do 8 " " " S44E 5 " "

77.50 to Sec. Corner.

North Between Sec. 3 & 4, T8 N. R2 E.

3.21 Set a post on the boundary line from which
a Hickory 8 in. dia. bear S26E 12 lks. dist. of
a W. Oak 8 " " " S70E 17 " "

20.50 a Hickory 10 in. dia. March 13th 1820

31.50 a Brook 35 lks. wide Cr. S80W

40.00 Set the q. Sec. post, from which
a Sugar 20 in. dia. bear S7W 23 lks. dist. of
a W. Oak 11 " " " N14W 30 " "

67.15 a Hickory 8 " "

82.00 a Brook 8 lks. wide Cr. S60W

98.00 Intersected the N. boundary 23.65 lks. West of
post Cor. to Sec. 33 & 34, T9 N. R2 E; Set a post
Cor to Sec. 3 & 4, from which
a Gum 5 in. dia. bear N15E 32 lks. dist. of
a Hickory 7 " " " S27W 37 " "
Land hilly & poor, timber W. Oak, Hickory &c.

North Between Sec. 32 & 33, T8 N. R2 E.

40.00 Set the q. Sec. post, from which

8th N. R2 E. 2nd Mer. Indiana

a W. Oak 10 in. dia. bray N12W6¹/₂ br. dist. of
 a Hickory 8 " " " S20E11 " "
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a B. Oak 4 in. dia. bray N17W26¹/₂ br. dist. of
 a Do 4 " " " S52E33 " "
 Land hilly, very hilly, timber W & B. oak thick.

East On Random between Sec. 28 & 33, 8th N. R2 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S. line 12 br. S. of the Corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 28 & 33, 8th N. R2 E.
 40.00 Set the q. Sec. post, from which (at average dist)
 a Beech 30 in. dia. bray South 1 link dist
 80.00 to Sec. Corner.

North Between Sec. 28 & 29, 8th N. R2 E.
 14.50 a Brook 20 br. wide C. S. W.
 40.00 Set the q. Sec. post, from which
 a Dogwood 5 in dia. bray N74E21¹/₂ dist. of
 a Sugar 10 " " " S73W19¹/₂ " "
 62.50 a Brook 30 br. wide C. S. W.
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a W. Oak 15 in. dia. bray N89W33 br. dist. of
 a Do 18 " " " S74W21 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 21 & 28
 11.00 a Brook 35 br. wide C. S. W.
 40.00 Set temp. q. Sec. post
 80.12 Intersected the N & S. line 20 br. S. of the Corner.
 Land timber &c. same as on the last mile

T8N R2E. 2^d, Mer. Indiana

West On true line between Sec. 21 & 28, T8N, R2E.
 40.06 Set the q. Sec. post at av. dist. from which
 a Poplar 15 in. dia. bray S40°W 31 lks. dist. of
 a Sugar 6 " " " N84°E 19 " "
 80.12 to Section Corner.

North Between Sec. 20 & 21, T8N, R2E.
 20.00 a Brook 10 lks. wide C. S. E.
 40.00 Set the q. Sec. post, from which
 a Poplar 8 in. dia. bray S65°W 30 lks. dist. of
 a W. Oak 20 " " " S71°E 27 " "
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a W. Oak 12 in. dia. bray S26°E 4 lks. dist. of
 a Hickory 8 " " " S76°W 23 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 16 & 21, T8N, R2E.
 3.00 a Brook 6 lks. wide C. S. W.
 40.00 Set temp. q. Sec. post
 41.50 a Brook 20 lks. wide C. S.
 59.50 Same 20 " " from North
 80.00 Intersected the N & S. line 18 lks. S. of Cor.
 Land timber &c. same as on the last mile

West On true line between Sec. 16 & 21, T8N, R2E.
 40.00 Set q. Sec. post at average dist. from which
 a Sugar 8 in. dia. bray S48°W 13 lks. dist. of
 an Ash 8 " " " S69°E 26 " "
 80.00 to Sec. Corner.

North Between Sec. 16 & 17, T8N, R2E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bray S82°E 8 lks. dist. of

T8 N. 122 E. 2^d Mer. Indiana.

a W. Oak 12 in. dia. bray N 83 W 9 lks. dist.
 80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
 a Beech 5 in. dia. bray N 9 E 22 lks. dist. &
 a Do 5 " " " N 22 W 24 " "
 Sand timber &c. Same as on the last mile

East On Random between Secs. 9 & 16, T8 N. 122 E.
 40.00 Set temp^y. q^r. Sec. post
 79.67 Intersected the N & S. line, 100 lks. S. of the Corner.
 Sand timber &c. Same as on the last mile

West On true line between Secs. 9 & 16, T8 N. 122 E.
 39.83 1/2 Set q^r. Sec. post at av^g. dist. on true line, from which
 a W. Oak 25 in. dia. bray S 13 E 18 lks. dist. &
 a Beech 8 " " " N 60 W 17 " "
 79.67 to Sec. Corner.

North Between Secs. 8 & 9, T8 N. 122 E.
 40.00 Set the q^r. Sec. post, from which
 a Beech 10 in. dia. bray S 88 E 22 lks. dist. &
 a Do 8 " " " N 70 W 18 " "
 80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which
 a Beech 15 in. dia. bray S 4 E 19 lks. dist. &
 a W. Oak 15 " " " North 32 " "
 Sand timber &c. Same as on the last mile

East On Random between Secs. 4 & 9, T8 N. 122 E.
 40.00 Set temp^y. q^r. Sec. post
 79.70 Intersected the N & S. line 40 lks. S. of the Corner
 Sand timber &c. Same as on the last mile

West On true line between Secs. 4 & 9, T8 N. 122 E.
 39.85 Set q^r. Sec. post at av^g. dist. on true line from which

T8 N. R2 E. 2^d. Mer. Indiana

a W. Oak 10 in. dia. bray N40 E 8 lks. dist. of
79.70 to Sec. Corner

North Between Secs. 4 & 5, T8 N. R2 E.

40.00 to a Hickory 4 in. dia. Marked for q^r. Sec. Cor.

62.25 Set a post on the boundary line from which

a W. Oak 15 in. dia. bray N61 W 23 lks. dist. of

a Do 25 " " " N39 E 24 " "

66.25 (4.00) a Brook 40 lks. wide Cr. S80 W

82.50 (20.25) a W. Oak 22 in. dia. in the line

101.75 (39.50) Intersected the N. boundary 18.86 lks. West
of post Cor. to Secs. 32 & 33, T9 N. R2 E. Set a post
Cor. to Secs. 4 & 5, from which

a Sugar 12 in. dia. bray N15 E 52 lks. dist. of

a W. Oak 15 " " " N32 E 15 " "

Wherein 2^d. rate land, timber, W. Oak & Hickory
underg^d. Hogwood & Ironwood.

North Between Secs. 31 & 32, T8 N. R2 E

40.00 Set the q^r. Sec. post, from which

a W. Oak 4 in. dia. bray S5 E 12 lks. dist. of

a Do 8 " " " N33 W 15 " "

80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which

a W. Oak 18 in. dia. bray S59 E 25 lks. dist. of

a Do — " " " N70 W 25 " "

Land very hilly thin Soil. timber Oak &c.

East On Random between Secs. 29 & 32, T8 N. R2 E.

19.00 a Brook 15 lks. wide Cr. S. E.

25.00 a Do 15 " " " South

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 12 lks. S. of the corner.

Land timber &c. same as on the last mile

T8 N. R2 E, 2^d. Mer. Indiana

West On true line between Secs. 29 & 32, T8 N. R2 E.
 40.00 At the q. Sec. post, from which
 a Maple 5 in. dia. bray N67W46k. dist. of
 a Beech 6 " " " N69E22 " "
 80.00 to Sec. Corner.

North Between Secs. 29 & 30, T8 N. R2 E.
 40.00 At the q. Sec. post, from which
 a Beech 8 in. dia. bray S24E25k. dist. of
 a do 15 " " " N72W12 " "
 80.00 At a post Cor. to Secs. 19, 20, 29 & 30, from which
 a Sycamore 15 in. dia. bray N31E21k. dist. of
 an Elm 9 " " " S29E42 " "
 Land rolling thin Soil, timber the same

East On Random between Secs. 20 & 29, T8 N. R2 E.
 1.00 a Brook 25k. wide Cr. S.
 34.00 a do 15k. " " S.W.
 40.00 At temp. q. Sec. post
 80.00 Intersected the N & S. line 10k. N. of the Corner
 Land timber &c. same as on the last mile

West on true line between Secs. 20 & 21, T8 N. R2 E.
 40.00 At the q. Sec. post at av. dist. from which
 a W. Oak 20 in. dia. bray N51W25k. dist. of
 a Beech 8 " " " N66E15 " "
 80.00 to Sec. Cor.

North Between Secs. 19 & 20, T8 N. R2 E.
 3.50 a Brook 12k. wide Cr. S. E.
 40.00 At the q. Sec. post, from which
 a W. Oak 20 in. dia. bray S38W13k. dist. of
 a Hickory 3 " " " N29W20 " "

T8 N. R2 E. 2. Mer. Indiana

87.00 Let a post Cor. to Sec. 17, 18, 19 & 20, from which
a Dogwood 5 in. dia. bear S 83 E 19 lbs. dist. of

————— " " " N 42 E 32 " "
Land timber &c. same as on the last mile

East On Random between Sec. 17 & 20, T8 N. R2 E.

40.00 Let temp. q. Sec. post

61.50 a Brook 10 lbs. wide & S.

80.00 Intersected the N & S. line 10 lbs. S. of the corner.
Land timber &c. same as on the last mile

West On true line between Sec. 17 & 20, T8 N. R2 E.

40.00 Let the q. Sec. post at ar. dist. from which
a Beech — in. dia. bear S 59 E 14 lbs. dist. of
a Do 3 " " " N 30 W 13 " "

80.00 to Sec. Corner

North Between Sec. 17 & 18, T8 N. R2 E.

40.00 a Sugar tree 15 in. dia. Marked for q. Sec. Corner.

73.50 a Poplar 20 in. dia. in the line

80.00 Let a post Cor. to Sec. 7, 8, 17 & 18, from which
a Hickory 6 in. dia. bear N 11 W 8 lbs. dist. of
a Gum 5 " " " S 80 E 4 " "

Land rolling thin Soil, timber Oak & Hickory

East On Random between Sec. 8 & 17, T8 N. R2 E.

40.00 Let temp. q. Sec. post

80.18 Intersected the N & S. line 68 lbs. N. of corner
Land timber &c. same as on the last mile

West On true line between Sec. 8 & 17, T8 N. R2 E.

40.09 Let q. Sec. post at ar. dist. from which
a Beech 10 in. dia. bear S 45 W 7 lbs. dist. of

S8 N. R2 E. 2^d. Mer. Indiana

a Beech 5 in. dia. bran N15 E 14 lbs. dist. of
80.18 to Sec. 7th Corner

North Between Sec. 7 & 8, S8 N. R2 E.

40.00 Let the gr. Sec. post from which a
Beech 5 in. dia. bran N16 W 3 lbs. dist. of
a Sugar 5 " " " N16 W 13 " "

46.50 a Brook 15 lbs. wide Cr. N.W.

80.00 Let a post Cor. to Sec. 5, 6, 7 & 8, from which
an Ironwood 3 in. dia. bran S59 E 13 lbs. dist. of
a Sugar 18 " " " N63 W 12 " "

Land, timber &c. same as on the last mile

East On Random between Sec. 5 & 8, S8 N. R2 E.

4.50 a Brook 10 lbs. wide Cr. N.W.

40.00 Let temp. gr. Sec. post

80.16 Intersected the N & S. line 41 lbs. N. of Corner.
Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, S8 N. R2 E

40.08 Let the gr. Sec. post at average dist. from which
a Sugar 10 in. dia. bran N11 W 19 lbs. dist. of
a Do 25 " " " S25 W 30 " "

80.16 to Sec. Corner.

North Between Sec. 5 & 6, S8 N. R2 E.

6.50 a Brook 100 lbs. wide Cr. N.W.

23.00 a W. Oak 15 in. dia. in the line

40.00 Let the gr. Sec. post, from which
a Gum 20 in. dia. bran S50 W 11 lbs. dist. of
a Beech 4 " " " N71 E. 15 " "

97.30 Intersected the N. boundary 17.20 lbs. West of
the Corner.

T8 N. R2 E. 2^d Mer. Indiana

Met Between Secs. 6 & 7, T8 N. R2 E.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bran N5 E 17 lks. dist. of
a do 5 " " " N78 E 14 " "

60.50 a Brook 150 lks. wide C. Post.

62.80 Intersected the N. boundary 250 lks. N. of corner
Set a post Cor. to Sec. 6 & 7, from which
a Beech 8 in. dia. bran N44 E 7 lks. dist. of
a Sugar 4 " " " N63 W 8 " "
Sand, timber &c. Same as on the last mile

Met Between Secs. 7 & 18, T8 N. R2 E.

40.00 At the q. Sec. post, from which
a Maple 6 in. dia. bran N42 W 19 lks. dist. of
a dogwood 6 " " " N43 E 24 " "

63.00 Intersected the N. boundary 341 lks. N. of
the Cor. Set a post Cor. to Sec. 7 & 18, from which
a Sugar 15 in. dia. bran N79 E 20 lks. dist. of
a Hickory 15 " " " N70 W 19 " "
Sand, timber &c. Same as on the last mile

Met Between Secs. 18 & 19, T8 N. R2 E.

40.00 At the q. Sec. post, from which
a Dogwood 5 in. dia. bran N73 E 21 lks. dist. of
a Hickory 6 " " " N63 W 23 " "

62.12 Intersected the N. boundary 312 lks. N. of Cor.
Set a post Cor. to Sec. 18 & 19, from which
a W. Oak 10 in. dia. bran N48 W 27 lks. dist. of
a Beech 10 " " " N80 W 39 " "
(Description Omitted)

Met Between Secs. 19 & 30, T8 N. R2 E.

40.00 an Ironwood 3 in. dia. ~~bran~~ q. Sec. Corner.

T8 N. R2 E. 2^d. Mer. Indiana

65.25 Intersected the N. boundary 196 lks. N. of the
Cor. Set a post Cor. to Sec. 19 of 30, from which
a Hogwood 4 in. dia. bear S 72 E 16 lks. dist. &
a Poplar 7 " " " N 79 E 24 " "
(Description Omitted)

West Between Sec. 30 & 31, T8 N. R2 E.

40.00 Set the g. Sec. post, from which
a W. Oak 20 in. dia. bear S 81 E 18 lks. dist. &
a Ho 18 " " " S 72 N 34 " "

63.00 Intersected the N. boundary 93 lks. N. of the
Corner. Set a post Cor. to Sec. 30 & 31, from which
an Elm 15 in. dia. bear N 47 E 41 lks. dist. &
a Sugar 10 " " " S 32 N 45 " "

Land timber &c. same as the last mile
S. of the boundary, surveyed in 1815

by Arthur Hume, A. S.

N. of the boundary, surveyed in 1820

by James Hodge, A. S.

I certify that the foregoing transcript of field notes
of Township N. 8 N., Range N. 2 E. 2^d. Mer. Indiana
has been Comp.^d with the original notes in this
Office, and found to be correct.

Surveyor Gen.^l Office
Cincinnati, March 1st 1841

O. S. Graines

Sur. Gen.^l